

Status of Experiment Software Architecture

Claude Saunders, AES/SSG 2011-01-20 APS Building 401, Room A1100

Presented as part of the APS InterCAT Technical Workgroup (TWG) Seminar series

ICMS: APS_1417005



Outline

- Brief review of some previous material
- Progress and plans in selected areas
 - Standard Data Formats
 - Data Reduction and Visualization
 - High Level Experiment Control
 - Low Level Experiment Control
 - Automation/Workflow
- Questions?


- Note: Wiki pages that contain details on what SSG is doing
 - http://confluence.aps.anl.gov/display/SSG




Brief Review of Previous Material

- Workflow of the Integrated Beamline
- Software Infrastructure Categories
- Current "Stakes in the Ground"

Workflow of the "Integrated Beamline"



Software Infrastructure Categories



10 Categories Total



Current "Stakes in the Ground"

Graphical User Interfaces (GUI)

- Select and develop best-of-breed, which is **Eclipse**, and make this the standard window onto other infrastructure functionality.
- A common starting point and center...
 - "The Scientific Workbench Concept"
 - Common look-and-feel, help mechanism, distribution and upgrade mechanism, etc.
 - Start with existing CSS tool which serves as MEDM replacement
- ... but not the only provider
 - We will accommodate pure python code, including python-rendered GUI
 - We will accommodate execution of other external tools

Standard Data Formats

- HDF5, except where other formats necessary (MDA, custom, proprietary, etc.)
- ... with simplified NeXus compliance (more later)
- Use of direct HDF5 libraries rather than NeXus API (NAPI)

Low Level Experiment Control

- EPICS + synApps + asyn + SPEC (no surprises here)
- CSS-BOY for medm replacement



Progress and Plans in Selected Areas

- Low Level Experiment Control
- High Level Experiment Control
- Data Reduction and Visualization
- Standard Data Formats
- Automation/Workflow

Low Level Experiment Control


- Main effort here is to come up with MEDM replacement
 - CSS (Control System Studio)
 - General control-system-aware platform with many capabilities
 - Eclipse-based
 - Incorporates MEDM functionality (+/-) and offers many other useful CSS plugins
- In particular, we are interested in CSS-EPICS product that contains
 - BOY (Best OPI Yet) this is the plugin which replaces MEDM
 - Data Browser a PV trending tool with live plus archived data
 - ADL to OPI converter created and maintained by John Hammonds

Current Work


- Further enhance ADL to OPI converter with more advanced color and font mapping
- Convert synApps screens and make OPI versions available alongside ADL
- Explore enhanced functionality for synApps using advanced CSS-BOY features
- Get SSG/BCDA blessed version available for use on beamlines



CSS BOY Screenshot (of converted SR corrector screen)



CSS Data Browser Screenshot



High Level Experiment Control

Goal:

- to make the task of designing, setting up, and executing data acquisition easier...
- ... while at the same time integrating seamlessly with data reduction, visualization, and analysis (including cluster scheduling, data management, etc.)
- ... and making sure all relevant meta-data is kept with raw detector data
- Early effort involved evaluating openGDA (Generic Data Acquisition) project from Diamond Light Source. Decision not to use GDA was made recently.
 - Difficult to build and deploy hence difficult for us to support with small staff
 - Not easily integrated with other clients such as IDL, Matlab, python
 - Very important at APS with existing legacy of EPICS integrated tools
- But! GDA has very good ideas about scripted acquisition and high level scanning support which we have learned from



High Level Experiment Control (2)

- Plan B Develop our own Scanning Engine
- What is a Scanning Engine?
 - Note: we're still working on defining this, so bear with me here...
 - Similar to synApps sscan and saveData, only an "outside-the-IOC" solution
 - Supports:
 - Scriptable as well as static configuration of scans
 - Step scans, fly scans, oscillation scans, tracking scans
 - manages their execution (abort, rewind)
 - exposes status of scans for integration with external clients like CSS/medm, python, matlab, IDL
 - Soft PVs for control/monitoring of scans
 - Async notification of scan start, step start/end, end of scan dimension, scan end, etc...
 - Tracks scan data set any client of scan engine can persist in required form

Current Work

- Building prototype scanning engine for simple step scans initially
- Evaluate prototype with respect to larger requirements
- Characterize prototype's performance envelope




Data Reduction and Visualization

- Evaluating SDAWorkbench (Scientific Data Analysis) project from Diamond Light Source
 - SDA is offline (post-acquisition) data analysis
 - Part of larger GDA codebase, but governed as a separate project
 - Developed under guidance of collaboration MOU between Diamond, ESRF, and now APS
 - Eclipse-based workbench
 - But not part of CSS (Control System Studio)
- SDAWorkbench
 - www.sda-workbench.org
 - Not formally released yet
 - Initial features set
 - Plotting, Diffraction image viewer, NeXus explorer, workflow, jython and python scripting
 - First collaboration meeting in February to establish quarterly development cycle
 - Will decide on development plan for first formal 3-month development cycle
- Main interest here is a console from which to create and run analysis sequences



SDA Workbench Screenshot



Standard Data Formats

Goal:

 develop standards, conventions, and libraries to support direct use of HDF5 with NeXus storage conventions

Important

- NeXus is a combination of
 - 1. A set of schema that establishes standards for how to store data
 - Ex. How to store n-dimensional dataset with axes fully described
 - Ex. How to store a description of a detector
 - 2. Governance to allow introduction of new schema
 - 3. An API called NAPI that supports writing NeXus compliant files to XML, HDF5, and HDF4
- We don't have to do (3), and we can pick and choose subset of (1) that works for us

Current Work

- NXexchange simplified NeXus schema for simple image and spectra exchange
- Lightweight libraries on top of raw HDF5 libraries for reading/writing NeXus-compliant data/meta-data to HDF5 files – no NAPI
- Documentation to make the above easy to use



Automation/Workflow

- Condor evaluated
 - Very powerful tool, but very much geared towards large jobs (10 mins +)
- Swift (for post-acquisition analysis workflow)
 - Developed at Argonne's MCS division
 - Lightweight analysis workflow engine with simple scripting language(s)
 - Good at automatically exploiting basic parallelism
 - Easy to run same job locally on laptop, or on collection of high end systems
- Passerelle (part of SDA and also used by Soleil for data acquisition)
 - Lightweight, based on flexible PtolomeyII workflow engine (so is Kepler)
 - Can be used to orchestrate reduction/analysis pipelines during acquisition (unlike Swift)
 - Can also be used post-acquisition to orchestrate analysis jobs

Current Work

- Downloading and learning above tools
 - Demo of Condor and Swift done at SSG BLT (lunchtime tech talk)
 - Would like to do this with Passerelle as well
- Exploring use of Swift for LDRD: Next Generation Data Exploration



Areas Not Actively Being Addressed (other than existing work on XPCS, HEDM, and Tomo)

- Cluster Scheduling
- Data Management
- Offline Tools
- Data Analysis and Modelling

Data Analysis and Modeling (extra slides from previous presentation)

- Participate in cross-disciplinary, technique-specific working groups
 - Educate and support MVC (Model-View-Controller) design in analysis/modeling/ simulation codes.
 - Educate on other design patterns to improve modularity in codes.
 - Recommend and support libraries for data formats (NeXus, others), parallel processing (MPI, openCL?), etc.
 - Support execution environment to allow for both single-host and cluster-based execution.
 - Support for writing new codes or re-factoring existing codes.
 - Support for parallelizing sequential codes.
 - Support for wrapping codes for inclusion in workflow engine.
 - Support for making use of relational databases for metadata storage and query



Data Management (extra slides from previous presentation)

- Experiment Data Catalog
 - Implemented using relational database
 - Not for storing all data, but as index to file-based data
 - For each sample put in beam, track:
 - Sample id
 - Acquisition parameters
 - Originating proposal, scheduled experiment, and ESAF
 - Data reduction and analysis history
 - Analysis execution logs
 - Data file generation and movement
- Generic web portal to locate experiment data
- Beamline Notebook
 - View and annotate context of an entire experiment
- Data Transfer
 - Agents such as GridFTP for data transfer
 - Within APS facility (ex. From beamline data acquisition disks to HPC cluster)
 - Between APS and MCS and ALCF
 - Between APS and experimenter's home institution



Cluster Scheduling (extra slides from previous presentation)

2 Modes

- Reservation-based Scheduling
 - Compute cores and disk space set aside for dedicated use
 - For on-demand computations during experiment
 - For on-demand computations before/after experiment
 - This is current mode for existing APS HPC clusters
 - Batch scheduling queue fronting n cores dedicated to a sector
 - Expand to support reserving cluster resources using beamline scheduling system
- Opportunistic Scheduling
 - For computations outside scheduled experiment
 - Compete for unused resources
 - Can include single-host systems (ie. Using Condor)
- Will evaluate and deploy cluster scheduling that meets both needs.
- Also will support job submission to Argonne MCS and ALCF clusters.



Offline Tools (extra slides from previous presentation)

- Support for packaging up
 - Data
 - Applications
 - Execution Logs
- For use at home institution.
- This will require:
 - Offsite software distribution mechanism
 - Eclipse update site
 - Packaging code into one click installers where possible
 - Designing (and testing) applications so they don't depend on APS network environment